

# Garden

Gardening made easier



**Raised bed**

Page 4



**Garden board**

Page 18



**Lawn edging**

Page 20



**Plant aids**

Page 22



**Composters**

Page 28



**Containers  
for home  
and garden**

Page 44



# Raised bed



Raised beds are increasingly popular among garden-lovers. They offer nutrient-rich soil, take up little space, and allow you to work in a comfortable position.

The new Ergo raised bed system from GARANTIA is ergonomic, modular and affordably priced.

Filling the raised bed with nutrient-rich material such as compost and garden soil creates the ideal place for growing plants. The higher soil temperature in a raised bed allows plants to grow faster.

This is due to both sunshine and the breakdown of individual soil layers. As well as all kinds of plants, fruit, vegetables and herbs grow extremely well in Ergo raised beds.

The height and length of the Ergo raised bed system can be adjusted according to use and type of planting. The panels are simply joined together with plug connectors.

*Product advisor*  
Ergo raised bed system

shows you the many possible design options.

[www.garantia.eu](http://www.garantia.eu)



## How to fill your raised bed\*

It's important to fill the Ergo raised bed correctly to create the ideal growing conditions for your plants and flowers. We recommend:

### Flower soil

Add good-quality flower, plant or herb soil to just below the top edge.

### Mature compost (approx. 20 cm (7.9"))

Compost or alternatively a mixture of compost and soil.

### Garden soil (approx. 10 cm (3.9"))

### Green waste (approx. 10 cm (3.9"))

E.g. leaves, garden waste, pieces of turf (place on top of tree and bush cuttings with grass side down – Alternative: coarse garden waste or grass cuttings, straw)

### Tree & bush cuttings (approx. 20 cm (7.9"))

Roughly chopped twigs and branches, to allow enough circulation of air inside the bed to encourage rotting of the layered material.

### Rodent Guard

Use a fine-mesh wire screen to guard against voles.



\*Based on an Ergo raised bed with a height of 75 cm (29.5").

## Ergo Raised bed system

Endless design options

The Ergo raised beds can be designed flexibly in height, so you can customise your raised bed to your individual needs

The best thing about it: an Ergo raised bed can be assembled very easily in a short time without tools.

The raised beds captivate with their deceptively realistic wood-look finish and with an infinite number of design and combination options, thus providing an optical highlight in your garden.

















*Product advisor*  
Ergo raised bed system

shows you the many possible design options.

[www.garantia.eu](http://www.garantia.eu)



*Assembles  
with no need  
for tools*

	<p>2x Ergo 645100</p>  <p>H: 0.50 m L: 1.10 m W: 1.10 m</p>		<p>3x Ergo 645100</p>  <p>H: 0.75 m L: 1.10 m W: 1.10 m</p>
	<p>4x Ergo 645100</p>  <p>H: 0.50 m L: 2.85 m W: 1.40 m</p>		<p>6x Ergo 645100</p>  <p>H: 0.75 m L: 2.85 m W: 1.40 m</p>
	<p>7x Ergo 645100</p>  <p>H: 0.75 m L: 2.85 m W: 1.40 m</p>		<p>9x Ergo 645100</p>  <p>H: 1.00 m L: 2.85 m W: 1.40 m</p>
	<p>2x Quadro S 645115    3x Ergo 645100    2x Quadro M 645116</p>  <p>H: 1.30 m L: 2.30 m W: 0.75 m</p>		<p>3x Ergo 645100    2x Quadro M 645116</p>  <p>H: 1.10 m L: 1.70 m W: 0.75 m</p>

# Ergo Quadro Raised bed system

Endless design options

*Product advisor*  
Ergo raised bed system

shows you the many possible design options.

[www.garantia.eu](http://www.garantia.eu)



*Lots of possible configurations*

*Space-saving*

Compact design



*Composting*

Can also be used as a composter



*Wood-look finish*


Deceptively realistic wood texture



**Ergo Quadro S**

consisting of: 4 panels, 8 plug-in connectors, 4 corner connectors

Length L	Width W	Height H	Order no.
60 cm (23.6")	60 cm (23.6")	25 cm (9.84")	645115



**Ergo Quadro M**

consisting of: 4 panels, 8 plug-in connectors, 4 corner connectors

Length L	Width W	Height H	Order no.
60 cm (23.6")	80 cm (31.5")	25 cm (9.84")	645116



**Ergo Quadro L**

consisting of: 4 panels, 8 plug-in connectors, 4 corner connectors

Length L	Width W	Height H	Order no.
80 cm (31.5")	80 cm (31.5")	25 cm (9.84")	645117

*Video tip*

Check out the product video [www.garantia.eu](http://www.garantia.eu)



*Product advisor*  
Ergo raised bed system  
shows you the many  
possible design options.  
[www.garantia.eu](http://www.garantia.eu)



*Flexible height  
& length*



Extension set  
**+ 55 cm**  
(21.7")



## Ergo raised bed

A beautiful addition to your garden

### Ergonomic

Work at a comfortable height



### Multifunctional

Can also be used as a composter




### Assembles with no need for tools




### Wood-look finish

Deceptively realistic wood texture



**Raised bed**  
consisting of: 6 panels & connectors

Length L	Width W	Height H	Order no.
110 cm (3' 7.3")	95 cm (3' 1.4")	25 cm (9.8")	645100



**Raised bed extension set**  
consisting of: 2 panels & adapters, 1 x pull rope set

Length L	Height H	Order no.
55 cm (21.7")	25 cm (9.8")	645101

### Video tip

Check out the product video [www.garantia.eu](http://www.garantia.eu)



## Urban balcony raised bed

For balconies and patios



*Overflow zone*  
with drip holes

*Watering  
recesses*  
with drip holes

*Aeration*

*Hose  
fitting*

*Assembles with  
no need for tools*

*Prevents  
waterlogging*  
Drill your own  
drainage holes



**Video tip**  
Check out the product  
video [www.garantia.eu](http://www.garantia.eu)



# Urban balcony raised bed

For balconies and patios

### Tip on filling

- Standard potting soil or garden soil
- Mix the bottom layer as drainage expanded clay or gravel with plant soil

### Practical

Ideal for home gardening

### Ergonomic

No need to bend or kneel



### Planting

For herbs, vegetables and other plants



### Balcony raised bed

consisting of: 1 balcony raised bed, 4 feet, 1 metal strut

Length L	Width W	Height H <sub>1</sub>	Height H <sub>2</sub>	Order no.
75 cm (29.5")	37 cm (14.6")	40 cm (15.7")	25 cm (9.84")	645140

### Accessories

consisting of: 1 cloche cover

Product	Order no.
 Cloche cover	645141

Not included in the scope of supply







## Urban cloche cover

Ingenious accessory for Urban balcony raised bed

*Water without opening the cover*

### *Practical*

Accelerated growth for an early harvest



### *Protected*

The safe way to protect plants from cold, birds etc.

*High light permeability*



**Cloche cover**  
consisting of: 1 cloche cover

Length L	Width W	Height H	Order no.
75 cm (29.5")	37 cm (14.6")	22 cm (8.66")	645141



## MaXi garden board

The ideal walkway for the garden and camping

*Create your own layout*

**Video tip**

Check out the product video [www.garantia.eu](http://www.garantia.eu)



*Practical click system*



*Non-slip surface*



*Space-saving*




*Water runoff*



*Robust*



Example layouts



**Garden board**  
consisting of: 4 x garden board  
Gives a total length of 2.8 m

Length L	Width W	Height H	Order no.
70 cm (27.6")	24 cm (9.5")	2.5 cm (1")	240400



## Edgar lawn edging

Elegant edging for your beds



*Clicks together*

**Decorative**

Elegant and flexible for dividing lawns and paths



**Easy installation**


Hammer in with a rubber mallet - done



**Flexible**

The individual sections can be connected lengthways and crossways

**Example layouts**



**Lawn edging**  
consisting of: 6 edging units  
Gives a total length of 4.5 m

Length L	Height H	Order no.
75 cm (29.5")	13 cm (5.12")	645150



# Plant aids



## Accelerated growth for an early harvest

- The economical and flexible alternative to the traditional cold frame and poly tunnel
- High light permeability
- Gentle watering of young plants thanks to watering channels
- The safe way to protect plants from bad weather and the cold
- Protects plants from slugs and other pests



## The cold frame alternative

The GARANTIA Sunny plant aids are designed to help create ideal growing conditions for plants and vegetables. A moist, warm microclimate inside promotes plant growth.

The GARANTIA Sunny plant aids are set up quickly and easily without any tools. By simply joining several tunnel modules together, you can adapt the Sunny tunnel to suit the size of your garden and your needs. The modules are fixed with ground anchors and sealed at the front and back with end caps. You will quickly produce a mini 'hothouse' for your plants. The Sunny cloche is even quicker and easier to start using. It is simply placed over the plant and secured with ground anchors.

GARANTIA Sunny plant aids are made from high-quality plastic and can therefore be used for years. Sunny planting aids are the economical alternative to the short-lived polytunnel. Their thick-walled design makes them extremely robust and UV-stable.

The transparent material lets in the sunlight the plants need in order to grow. An ingenious ventilation system creates the ideal growing climate for quick growth. The plant aids also protect against hail, wind and frost as well as vermin and pests.

The plants can be watered without the nuisance of having to open and close the GARANTIA Sunny plant aids. On the top are convenient watering channels with drip holes. These channels catch rain-water or water from a can and allow it to fall gently on the plants.

At the end of the growing season, the plant aids are simply dismantled and can be stacked for compact storage.



Without Sunny plant aid



With Sunny plant aid

## Sunny growing tunnel

The robust plant development growing tunnel system with convenient ventilation and watering function

### Easy aeration

Smoothly adjustable ventilation to provide the air your plants need

### Space-saving

### Gentle watering

Watering recesses with drip holes for watering

### Extendable

#### Video tip

Check out the product video [www.garantia.eu](http://www.garantia.eu)



**Growing tunnel**  
consisting of: 1 growing tunnel

Length L	Width W	Height H	Order no.
105 cm (3' 5.3")	40 cm (15.7")	30 cm (11.8")	645050

#### Accessories

Product	Set	Order no.
Growing tunnel end caps	2 pieces	645055
Growing tunnel fixing peg	10 in a bag	645056



## Sunny forcing cloche

The robust forcing cloche with ventilation and watering functions

**Video tip**

Check out the product video [www.garantia.eu](http://www.garantia.eu)



**Gentle watering**

Watering recesses with drip holes for watering



**Easy aeration**

Smoothly adjustable ventilation ring provides optimum air supply for your plants



**Space-saving**



**Forcing cloche**  
consisting of: 1 forcing cloche, 2 fixing pegs

Height H	Dia.	Order no.
30 cm (11.8")	35 cm (1' 1.8")	645061



# Composters



  
**Compost**  
BIOLOGICAL FERTILIZER ALREADY INCLUDED

By using your own compost as a garden fertiliser, you can save money and improve the long-term fertility of the soil. Garden cuttings and fruit and vegetable leftovers from the kitchen aren't waste, but valuable materials. By composting them, you can recycle them for use in your garden. Composting reduces waste by up to 30%, helping to protect the environment and the climate.

Modern composters are made of environmentally friendly recycled plastic and are UV and weather-resistant. GARANTIA composters range in size from 280 to 1,000 litres. Even if you don't have a garden, you can still compost your kitchen waste. The first Urban composter (page 43) can be kept on the balcony or in the kitchen, making it perfect for urban gardeners.

### The right ingredients for good compost

For a good compost you need fruit and vegetable waste, coffee grounds, tea leaves, eggshells (crushed), pot plants, cut flowers, spent potting soil, lawn cuttings and leaves.

Wet materials should be mixed with dry ones and coarse materials with fine ones. Good aeration is important to producing good compost. Ensure that the compost is damp. Compost mustn't be too dry or too wet!

#### What *not* to put in the compost:

Meat, fish, leftover food, bread, sausage, cheese rind, bones, diseased plants, coal or charcoal ash, cigarettes, Hoover bags, litter, medicines and nutshells.



All GARANTIA composters are made from 100% recycled plastic and can be recycled in an environmentally friendly way.

#### Environmental protection

By composting waste, you are actively helping to protect the environment.





With GARANTIA, quality takes top priority. High-quality recycled plastics, state-of-the-art and sustainable production processes, innovative design and easy handling – these are the foundations of GARANTIA premium quality.



Product	Volume	Colour	Width x depth x height	Material	Feed opening	Removal opening	Soil Fence	Page
---------	--------	--------	------------------------	----------	--------------	-----------------	------------	------

### ProfiLINE

Thermo-Wood	600 l (159 US gal.)	●	80 x 80 x 100 cm (2' 7.5" x 2' 7.5" x 3' 3.4")		2	2	●	32
Thermo-King	400 l (106 US gal.)	●	74 x 74 x 84 cm (29.1" x 29.1" x 2' 9.1")		2	2	●	36
	600 l (159 US gal.)		80 x 80 x 104 cm (2' 7.5" x 2' 7.5" x 3' 5")					
	900 l (238 US gal.)		100 x 100 x 100 cm (3' 3.4" x 3' 3.4" x 3' 3.4")					
Thermo-Star	400 l (106 US gal.)	●	80 x 80 x 102 cm (2' 7.5" x 2' 7.5" x 3' 4.2")		1	4	-	37
	600 l (159 US gal.)		110 x 110 x 102 cm (3' 7.3" x 3' 7.3" x 3' 4.2")			5		
	1,000 l (264 US gal.)		130 x 130 x 102 cm (4' 3.2" x 4' 3.2" x 3' 4.2")			2		

### ComfortLINE

Eco-King	400 l (106 US gal.)	●	70 x 70 x 83 cm (27.6" x 27.6" x 2' 8.7")	Recycled plastic (PP)	2	2	●	38
	600 l (159 US gal.)	●	80 x 80 x 95 cm (2' 7.5" x 2' 7.5" x 3' 1.4")					
Eco-Master	300 l (79 US gal.)	●	60 x 60 x 90 cm (23.6" x 23.6" x 2' 11.4")	Recycled plastic (PP)	1	2	●	39
	450 l (119 US gal.)		70 x 70 x 102 cm (27.6" x 27.6" x 3' 4.2")					


### BasicLINE

Rapid composter	280 l (74 US gal.)	●	Dia. 80 cm (2' 7.5")	H 89 cm (2' 11")	Recycled plastic (PP)	1	1	✓	40
Eco composter	280 l (74 US gal.)	●	Dia. 79 cm (2' 7.1")	H 84 cm (2' 9.1")	Recycled plastic (PP)	1	1	-	41

• Accessory ✓ Supplied as standard – Not available

### Thermolen®

Thermolen® is an innovative, quality material developed specifically for use in composters. Because it is foamed, Thermolen® makes highly insulating walls. The heat produced is retained more effectively inside the composter, which accelerates the composting process.




Thermolen® is sustainably manufactured from 100% recycled polypropylene (PP) and is fully recyclable.



### Grating

The grating (accessory) gives microorganisms access to your composter while protecting it against rodents.





## *Thermo-Wood*

The Thermo-Wood composter 600 l is unique on the market with its high-quality wood-look finish and is the alternative to conventional composters.

In addition to its appearance, it also convinces with its stability and easy filling thanks to two large wing covers. Removal is just as practical and simple as filling – two large removal flaps make work easier.

The ventilation openings on all four sides of the composter are concealed beneath the wooden boards to keep side panels decorative.

The Thermo-Wood composter is also available as a complete flat-packed set with grating. The practical grating protects against rodents and moles.

**!** *Video tip*  
Check out the product  
video [www.garantia.eu](http://www.garantia.eu)



# Thermo-Wood




**Easy to fill**  
Two large wing covers



**Ingenious aeration system**



**Easy removal**  
Two large removal flaps



Thermo-Wood

Volume	Width	Depth	Height	Order no.
600 l (158.5 US gal.)	80 cm (31.5")	80 cm (31.5")	100 cm (3' 3.3")	626050

Thermo-Wood including grating



Volume	Width	Depth	Height	Order no.
600 l (158.5 US gal.)	80 cm (31.5")	80 cm (31.5")	100 cm (3' 3.3")	626051



# Therma-King



# Therma-Star



**PREMIUM QUALITY**



ProfiLINE

Easy assembly

**Lockable lid**

With integrated aeration position



Easy removal



**PREMIUM QUALITY**



ProfiLINE

**Compost removal**

Compost can be removed on any side of the composter



**Easy installation**

With practical hinge system

## Thermo-King

Volume	Width	Depth	Height	Order no.
400 l (106 US gal.)	74 cm (29.1")	74 cm (29.1")	84 cm (2' 9.1")	626001
600 l (159 US gal.)	80 cm (2' 7.5")	80 cm (2' 7.5")	104 cm (3' 5")	626002
900 l (238 US gal.)	100 cm (3' 3.4")	100 cm (3' 3.4")	100 cm (3' 3.4")	626003

## Accessories

Soil Fence	Length	Width	Order no.
400 l (106 US gal.)	74 cm (29.1")	74 cm (29.1")	626101
600 l (159 US gal.)	80 cm (2' 7.5")	80 cm (2' 7.5")	626102
900 / 600 / 400 l (238 / 159 / 106 US gal.)	98 cm (3' 2.6")	98 cm (3' 2.6")	626100

## Thermo-Star

Volume	Width	Depth	Height	Order no.
400 l (106 US gal.)	80 cm (2' 7.5")	80 cm (2' 7.5")	102 cm (3' 4.2")	600020
600 l (159 US gal.)	110 cm (3' 7.3")	110 cm (3' 7.3")	102 cm (3' 4.2")	600021
1,000 l (264 US gal.)	130 cm (4' 3.2")	130 cm (4' 3.2")	102 cm (3' 4.2")	600022

400 l



600 l



1,000 l



**Video tip**

Check out the product video [www.garantia.eu](http://www.garantia.eu)



**Video tip**

Check out the product video [www.garantia.eu](http://www.garantia.eu)



# Eco-King



# Eco-Master



PREMIUM QUALITY

ComfortLINE

Easy installation



Lockable lid

Wind-resistant lid lock



**Eco-King**

Volume	Width	Depth	Height	Green Order no.	Black Order no.
400 l (106 US gal.)	70 cm (27.6")	70 cm (27.6")	83 cm (2' 8.7")	627003	627004
600 l (159 US gal.)	80 cm (2' 7.5")	80 cm (2' 7.5")	95 cm (3' 1.4")	627001	627002

**Accessories**

Soil Fence	Length	Width	Order no.
400 l (106 US gal.)	74 cm (29.1")	74 cm (29.1")	626101
600 l (159 US gal.)	80 cm (2' 7.5")	80 cm (2' 7.5")	626102

PREMIUM QUALITY

ComfortLINE

Large feed opening



Removal flap with recessed grip



Little space required

**Eco-Master**

Volume	Width	Depth	Height	Order no.
300 l (79 US gal.)	60 cm (23.6")	60 cm (23.6")	90 cm (2' 11.4")	628000
450 l (119 US gal.)	70 cm (27.6")	70 cm (27.6")	102 cm (3' 4.2")	628001

**Accessories**

Soil Fence	Width	Depth	Order no.
400 l (106 US gal.)	74 cm (29.1")	74 cm (29.1")	626101

**Video tip**

Check out the product video [www.garantia.eu](http://www.garantia.eu)



# Rapid composter



# Eco composter



GARANTIA®  
Garden\*

✓ PREMIUM QUALITY

BasicLINE


✓ PREMIUM QUALITY

BasicLINE

*Aeration system*

*Compost removal*

Easy removal through sliding opening



*Lid within lid*

*Aeration system*

*Compost removal*

Easy removal through sliding opening



*Large feed opening*

Rapid composter

Volume	DIA.	Height	Order no.
280 l (74 US gal.)	80 cm (2' 7.5")	89 cm (2' 11")	600012

Eco composter

Volume	DIA.	Height	Order no.
280 l (74 US gal.)	79 cm (31.1")	84 cm (2' 9.1")	625001

# The right ingredients for good compost



# Urban composter

**GARANTIA®**  
Garden\*





For a good compost you need fruit and vegetable waste, coffee grounds, tea leaves, eggshells (crushed), pot plants, cut flowers, spent potting soil, lawn cuttings and leaves.

Wet materials should be mixed with dry ones and coarse materials with fine ones. Good aeration is important to producing good compost. Ensure that the compost is damp. Compost mustn't be too dry or too wet!

### What *not* to put in the compost:

Meat, fish, leftover food, bread, sausage, cheese rind, bones, diseased plants, coal or charcoal ash, cigarettes, hoover bags, litter, medicines and nutshells.

### What size of composter do I need?

	<b>300 / 400 l</b> (79 / 106 US gal.)	<b>400 / 600 l</b> (106 / 159 US gal.)
	<b>600 l</b> (159 US gal.)	<b>900 l / 1.000 l</b> (238 / 264 US gal.)



### Composting guide

More information about composting is available at [www.garantia.eu](http://www.garantia.eu)



### Kitchen-friendly composting system



### Compost accelerator for rapid composting



### Liquid fertiliser



### Urban composter including compost accelerator spray

Volume	Max. DIA. top	Max. DIA. base	Height	Green Order no.
15 l (4 US gal.)	28.5 cm (11.2")	20 cm (7.9")	40 cm (15.7")	995046

- Modern and compact composting system
- Compost accelerator ensures quick results

UrbanLINE

# Containers for home and garden




**GARANTIA**  
Garden\*

# Multi-purpose tray / garden tray



*Lots of uses*



*e.g. to protect your car boot*

*Easy to clean*



## Cargo tray / garden tray

Volume	Length	Width	Height	Order no.
L	67 cm (2' 2.4")	89 cm (2' 11")	21 cm (8.3")	690011
XL	82 cm (2' 8.3")	89 cm (2' 11")	21 cm (8.3")	690010

**TONI**

*Universal round container*



**GARANTIA**  
*Garden*

*Bio bucket*



*Two ergonomic carry handles*



*Food-safe*

Natural colour made of food-safe plastic



*e.g. for compost & garden waste*

*Sturdy plastic carry handle*



*Universal storage containers*

**Universal round container**

Volume	Max. Dia.	Height	Green Order no.	Natural Order no.
<b>30l</b> (7.9 US gal.)	<b>43 cm</b> (16.9")	<b>34 cm</b> (13.4")	785003	785010
<b>45l</b> (12 US gal.)	<b>49 cm</b> (19.3")	<b>38 cm</b> (15")	785001	785011
<b>70l</b> (18 US gal.)	<b>55 cm</b> (21.7")	<b>43 cm</b> (16.9")	785002	785012

**Bio bucket**

Volume	Length	Width	Height	Order no.
<b>8l</b> (2.1 US gal.)	<b>20 cm</b> (7.9")	<b>24 cm</b> (9.5")	<b>30 cm</b> (11.8")	640010
<b>10l</b> (2.6 US gal.)	<b>23 cm</b> (9.1")	<b>25 cm</b> (9.8")	<b>30 cm</b> (11.8")	640030



Other colours on request



# Multi-purpose containers



### Selection of accessories



**Lid hinge**  
Order no. 890674

**Set of stickers**  
Order no. 778500

**Connector kit for trolley**  
Order no. 890675

**Trolley**  
**For multi-purpose container 60 l (16 US gal.)**  
Order no. 778105  
For soft floors  
Order no. 778106  
For hard floors  
**For multi-purpose container 90 l (24 US gal.)**  
Order no. 778107  
For soft floors  
Order no. 778108  
For hard floors

### Multi-purpose containers

Volume	Length	Width	Height	Product	Green Order no.	Red Order no.	Yellow Order no.	Blue Order no.	Grey Order no.
<b>60 l</b> (16 US gal.)	<b>56 cm</b> (22")	<b>28 cm</b> (11")	<b>59 cm</b> (23.2")	Container	778012	778014	778011	778010	778013
				Lid	778042	778043	778041	778040	778048
<b>90 l</b> (24 US gal.)	<b>49 cm</b> (19.3")	<b>49 cm</b> (19.3")	<b>61 cm</b> (24")	Container	778022	778024	778021	778020	778023
				Lid	778046	778047	778045	778044	778049

# Barrels for beverages



# Accessories



**Tap**  
polyethylene  
NW 10 Order no. 730014  
NW 15 Order no. 730012



**Rubber cone**  
Size 16/21  
Order no. 730064




**Fermentation lock**  
Plastic, size 1  
Order no. 730050




**Seal cap**  
Red, polyethylene, with  
special thread incl. seal  
Order no. 730037



**Adapter**  
Polyethylene, for tap,  
special thread on inter-  
nal thread  
1/2" (1.95 cm)  
Order no. 730035  
3/4" (2.4 cm)  
Order no. 730034



**Inside lid section**  
Red, polyethylene  
for sizes 10 – 50 l  
(3 – 13 US gal.);  
Diameter 12 cm (4.7");  
with screw neck  
Order no. 835057



**Inside lid section**  
Red, polyethylene  
for sizes 60 – 500 l  
(16 – 132 US gal.);  
Diameter 20 cm (7.9");  
with screw neck  
Order no. 835058

**Barrel for beverages, round**


Volume	Max. DIA.	Height	Total height	Order no.
10 l (3 US gal.)	24 cm (9.5")	27 cm (10.6")	33 cm (12.6")	825050
15 l (4 US gal.)	30 cm (11.8")	30 cm (11.8")	36 cm (13.8")	825051
30 l (8 US gal.)	33 cm (13")	42.5 cm (16.7")	48 cm (18.5")	825052

Other sizes up to 125 litres (33 US gal.) on request

**Barrel for beverages, oval**

Volume	Length	Width	Height	Total height	Order no.
60 l (16 US gal.)	52 cm (20.5")	35.5 cm (14")	47.5 cm (18.7")	54 cm (20.9")	825056
100 l (26 US gal.)	60 cm (23.6")	41 cm (16.1")	55 cm (21.7")	62 cm (24")	825057
150 l (39 US gal.)	68 cm (26.8")	47 cm (18.5")	65 cm (25.6")	72 cm (28")	825058

Other sizes up to 500 litres (132 US gal.) on request



**GARANTIA®**  
A trademark of  
**Otto Graf GmbH**  
Kunststoffzeugnisse  
Carl-Zeiss-Strasse 2 – 6  
DE-79331 Teningen

Tel.: +49 7641 589-0  
Fax: +49 7641 589-50



**Request a catalogue today!**

[www.garantia.eu](http://www.garantia.eu)



**Warranty clause**

The warranty mentioned in this brochure only applies to the products in question and not to accessories, even if these are included in the price. Within the warranty period, we replace material free of charge; additional services are excluded. The product must be handled and assembled according to the assembly instructions supplied in order for the warranty to apply. Assembly instructions can be downloaded from the Download area at [www.garantia.de](http://www.garantia.de) or requested in advance by phone.

**Please note:**

For all dimensions and volumes provided in this brochure, we reserve a tolerance of +/- 3%.

Subject to technical and price changes and errors. Design details, methods and standards of individual products may change as a result of technical advancements and environmental regulations.

Our general terms of sale and delivery (dated 01/10/2012) are exclusively applicable to all quotations and contracts. We will be happy to send you these terms upon request.

Photo copyright: Fotolia.com:  
© Vitaly Krivosheev (background)  
© NatUlrich (page 29)  
© Beboy (page 29)